

KNOX-BOX® REQUIREMENTS AND PROCEDURE FOR ORDERING



OVERVIEW

The goal of the Compton Fire Department is to provide the best and most up-to-date service to the citizens of our fire service community.

In order to access buildings quickly, minimize forced entry damage and protect firefighters from injury, the Compton Fire Department is enforcing Compton's Municipal Code Chapter 22, Section 506.1 pertaining to the KNOX-BOX Rapid Entry System. Currently, more than 11,500 fire departments and the communities they protect enjoy the benefits of this proven system.

CONSTRUCTION

KNOX-BOX key boxes are constructed of 1/4 solid steel with a 1/2" steel door and reinforced locking mechanisms. They are UL listed against physical attack. The high security key is strictly controlled and can only be reproduced by Medeco factory under direction from an authorized fire official's signature.

HOW TO ORDER

The customer will be given a KNOX-BOX product order form with price list and ordering information. The customer should review this information and make a selection on the order form. If the customer needs assistance in selecting the appropriate product, he/she may contact The Knox® Company and obtain the assistance of a sales representative. Once ordered, The Knox Company will ship the order directly to the address specified on the order form.

INSTALLATION

It is the customer's responsibility to ensure that Knox products are installed securely in an approved location and manner. Key boxes may need to be anchored to the building, recessed into plaster or stucco, or welded to metal fences, posts or gates. KNOX-BOX key boxes are frequently installed near the main entrance to the building at a height not to exceed SEVEN (7) FEET.

KEYS IN KNOX-BOX

Every key placed in a KNOX-BOX shall be identified with a sturdy tag. Some keys typically placed in KNOX-BOX key boxes include: Main Entrance, Gate, Grand Master, Elevator Control, Mechanical Room, Fire Alarm Panel, Electrical Room, and Roof Access.

LOCK UP OF KNOX-BOX

KNOX-BOX key boxes are shipped to the customer in the OPEN position. After the box has been installed, the customer must contact the Compton Fire Department to request lock-up since only the Department has the key. Fire Prevention Bureau staff will assist the customer in arranging for lock-up. All keys should be tagged

and ready for placement in the KNOX-BOX key box upon arrival.

NOTE: The customer should notify the Fire Prevention Bureau whenever a building has been re-keyed so that the obsolete keys in the KNOX-BOX key box can be replaced.



FREQUENTLY ASKED QUESTIONS

Q: Pricing? How much does a Knox-Box® key box cost?

A: Prices for all Knox® products are listed on the backside of the Authorization/Order form.

Q: Where are my keys to the box?

A: If the box is keyed to the Fire Department, then the Fire Department has the only master key to all the Knox products installed in your area. You do not receive a key to the product because the key is controlled by the fire department. Please contact the Fire Department to come out and lock the door to your box.

Q: How do I install my Knox product?

A: Always mount your Knox products to a secure, solid wall, beam, or post. A six-foot height level is recommended to prevent vandalism. Please refer to mounting instructions that are shipped with the product. To be sure, please contact your Knox-Box authorized fire department for a specific mounting location.



KNOX-BOX® and KNOX® are registered trademarks of the Knox Company. Logos and photos used with permission.

CMC Chapter 22, Section 506.1



Compton Fire Dept Online Order Instructions KNOX-BOX® Rapid Entry System

Step 1
Visit
www.knoxbox.com

Step 2
Select the product series
category
from the menu on the left.

Step 3
Enter "Compton Fi" in the
Department search field and
select it from the returned list

Step 4
Select product for purchase,
enter installation address, and
proceed with checkout or
eApproval.

KNOX-BOX® Rapid Entry System Products Needed

Image	Description	Part Number	Price	Quantity Needed
	KNOX-BOX® 3200 Series Model 3262 – Surface Mount, Hinged, Black, Tamper Switch	3262	\$285.00	
	KNOX-BOX® 3200 Series Model 3271 – Recess Mount, Hinged, Black, Tamper Switch	3271	\$325.00	
	KNOX-BOX® 3200 Series Model 3202 – Surface Mount, Black, Tamper Switch	3202	\$245.00	
	KNOX-BOX® 3200 Series Model 3221 – Recess Mount, Lift-Off, Black, Tamper Switch	3221	\$285.00	
	KNOX® Cabinets Model 1301 – Knox Cabinet, 5-inch Depth, Single Lock, Grey	1301	\$627.00	
	KNOX® Padlocks Knox Padlock Model 3770 - Exterior All Conditions	3770	\$85.00	
	KNOX® Padlocks Knox Padlock Model 3771 - Interior Economy	3771	\$62.00	
	KNOX® Padlocks Knox Padlock Model 3772 - Exterior Shrouded	3772	\$99.00	
	KNOX® Key Switches Model 3501 - Knox KeySwitch	3501	\$73.00	
	KNOX® Key Switches Model 3502 - Knox Key Switch on Mounting Plate	3502	\$91.00	
	KNOX-BOX® 1650 Residential Model 1659 - Surface, Hinged, Black, Door Hanger	1659	\$196.00	
	KNOX-BOX® 1650 Residential Model 1667 - Surface, Hinged, Aluminum, Door Hanger	1667	\$206.00	

Compton Fire Dept
Knox Program Coordinator: Jon Thompson, 310-605-5670, jthompson@comptoncity.org

For online ordering assistance, please contact Knox at 800-552-5669 ext. 558 or click "Chat" link on Knoxbox.com homepage.

Additional Colors and Options Available at
www.knoxbox.com

Prices in U.S. Dollars. Prices and availability subject to change.